



**TECH SPECIFICATION**  
SMALL STAGE - LONG SIDE

## Concert Venue

**Capacity: Maximum of 900 people**

### Venue Specification:

- **Stage: 3 x 6 meters - Height 20/40/60/80/100 centimeters**
- **Celling Height: 4.8 meters (4 meters to tracks/rigging)**
- **Distance to Main Mixer Position: 12 meters**
- **Main entrance doors dimensions: 1.60 x 2.05 meters**
- **SURR Arena door dimensions: 1.70 x 2.25 meters**

**Accessibility Feature: Handicap parking available at the entrance.**

- **Handicap parking available at the entrance.**
- **Wheelchair ramp and a small handicap lift at the outdoor terrace.**

### Parking Facilities:

- **1 bus parking space for a nightlines with a smaller trailer.**
- **Available power: 16A "3-phase CEE"**



**TECH SPECIFICATION**

## **Loading:**

**Via handicapped ramp**

**Alternatively, via loading dock Tritongatan, requires a large truck with a ramp**

## **Green Room:**

**Backstage, there is a green room with a separate toilet and shower for a maximum of 10 people.**

**A small washing machine is available.**

**Towels can be ordered.**

**Wifi: surrarenaguest**

**Password: surrarena**

**Production Office:**

**Available with access to a small kitchen.**

**Separate toilets.**

**Extra Green Room:**

**For larger productions, the restaurant is available as an additional space.**



## **Sound Levels**

### **NOTE!**

**Do not forget that there is a dB law in Sweden.**

**100 dB LEQ - The average is measured at the point where the audience is closest to the sound system over a period of 60 minutes. If the concert is shorter, the average is measured over the total concert time.**

**115 dB LAF max 1 - The peak value is measured at the point where the audience is closest to the sound system.**

**The fee for violating the dB law is approximately 150,000 SEK.**

### **POWER Arena**

#### **TOTAL POWER**

#### **Backline power:**

**1 piece 32A CEE**

**3 phases 230V (16A)**

#### **Main mix position:**

**1 piece 16A CEE**

**1 phase 230V (16A)**

#### **Technical room behind the stage:**

**1 piece 63A CEE**

#### **On the long sides inside the Arena:**

**2 pieces 16A CEE**

#### **BEAT Restaurant:**

**1 piece 16A CEE**



**TECH SPECIFICATION**

**SOUND  
STAGE - LONG SIDE**

**4x JBL SRX700 Subs  
4x Adamson S119 Subs  
3x JBL VRX 932LA on each side  
2x JBL VRX932LA on each side for sidefills**

**Monitor:  
A total of 4 systems  
4x L-acoustics MTD 115**

**MICROPHONES**

**Standard:**

**2st Electro voice RE-20  
2st Shure Beta 52  
6st Shure SM 57  
6st Shure Beta 58  
4st Shure SM 58  
4st Sennheiser MD 421-II  
4st Sennheiser MD 441 U  
8st Sennheiser E604  
2st Sennheiser E906  
4st Røde NT3  
2st Røde NT5 stereo par**

**Wireless:**

**Total 3 chanel  
3x SHURE Beta 58a MK2  
2x SHURE U2-R2 Beta 87a MK2  
3x SHURE U1-R2 MK2 (Body pack)**



**TECH SPECIFICATION**

## **IMAGE**

**1x Hitachi CP-WU8460 (1920x1200)**

**1x Main Front Projector Screen: 4.20 x 2.45 meters 16:10**

## **LIGHTS**

**See attached lighting specifications.**

**Guest Technicians: "Universum 1 and 2"**

## **MISCELLANEOUS**

**Trumpets: Trumpet stands are available in various heights.**

**The standard stage is built with acoustically adapted platforms.**

**20 platforms**

**20 – 100 cm legs**

**4 "Pie-shaped" platforms**

**8 Stair platforms**

**3 2 x 0.5 meters platforms**



# CONTACT

## SALES & EVENT - MANAGER

Fredrik Kronqvist

070-815 95 70

[fredrik@surrarena.se](mailto:fredrik@surrarena.se)

## ADRESS

Åvägen 24

412 51 GÖTEBORG

[www.surrarena.se](http://www.surrarena.se)



**TECH SPECIFICATION**